| Category | Group | Credit Number | Credit Name | Possible Points | Yes | No | Maybe |
|---|---|---|---|---|---|---|---|
| **Site** | 1) Selection & Use | S1.0 | Code Compliance | R | | | |
| **23 points** | | S1.1 | Sensitive Areas | 1 | | | |
| | | S1.2 | Greenfields | 1 | | | |
| | | S1.3 | Central Location | 1 | | | |
| | | S1.4 | Joint Use of On-Site Facilities | 1-2 | | | |
| | | S1.5 | Joint Use of Off Site Facilities | 1 | | | |
| | | S1.6 | Minimize Site Disturbance - Building | 2 | | | |
| | 2) Transportation | S2.1 | Public Transportation | 1 | | | |
| | | S2.2 | Bicycle Lanes & Security | 1 | | | |
| | | S2.3 | Electric Vehicle Charging Stations | 1-2 | | | |
| | | S2.4 | Minimize Parking | 1 | | | |
| | 3) Stormwater Management | S3.0 | Construction Stormwater Pollution Prevention | R | | | |
| | | S3.1 | On-site Stormwater Management and Flow Control | R-1 | | | |
| | | S3.2 | Stormwater Treatment | R-1 | | | |
| | | S3.3 | Soil Management | 1 | | | |
| | 4) Outdoor Surfaces | S4.1 | Outdoor Learning Spaces | 2 | | | |
| | | S4.2 | School Gardens | 1-2 | | | |
| | | S4.3 | Reduce Heat Island - Site | 1 | | | |
| | | S4.4 | Reduce Heat Island - Roof Design | 1 | | | |
| | 5) Outdoor Lighting | S5.1 | Light Pollution Reduction | 1 | | | |
| | | | **Total possible** | **23** | **0** | **0** | **0** |
| **Water** | 1) Outdoor Systems | W1.0 | Landscape Water Use Budget | R | | | |
| **10 points** | | W1.1 | Irrigation Water Reduction (50%, 100%) | 1-2 | | | |
| | | W1.2 | Control Irrigation Water Use | 1 | | | |
| | | W1.3 | Irrigation System Testing and Training | 1 | | | |
| | 2) Indoor Systems | W2.0 | Lead-Free Potable Water System | 1 | | | |
| | | W2.1 | Potable Water Use Reduction for Sewage (25%, 45%) | 1-2 | | | |
| | | W2.2 | Potable Water Use Reduction (20%, 30%, 40%) | 1-3 | | | |
| | | | **Total possible** | **10** | **0** | **0** | **0** |
| **Materials and Waste** | 1) Waste Reduction and Efficient Materials Use | MW1.0 | Storage and Collection of Recyclables and Compostables | R | | | |
| **25 points** | | MW1.1 | Construction Site Waste Management (50%, 75%) | 1-2 | | | |
| | | MW1.2 | Building Reuse - Structure/Shell (50%, 75%, 95%) | 1-3 | | | |
| | | MW1.3 | Building Reuse - Interior Non-Structural Elements (50%) | 1 | | | |
| | | MW1.4 | Materials Reuse (5%, 10%) | 1-2 | | | |
| | 2) Sustainable Materials | MW2.1 | Recycled Content (10%/4 mtls, 20%/8 mtls) | 1-2 | | | |
| | | MW2.2 | Rapidly Renewable Materials | 1 | | | |
| | | MW2.3 | Certified Wood (50%, Chain of Custody) | 1-2 | | | |
| | | MW2.4 | Regional/Local Materials | 1-2 | | | |
| | | MW2.5 | Environmentally Preferrable Products - Multiple Attribute | 1-2 | | | |
| | | MW2.6 | Environmental Product Declaration | 2-7 | | | |
| | | MW2.7 | Building Materials Health Product Disclosure | 1 | | | |
| | | | **Total possible** | **25** | **0** | **0** | **0** |

| Category | Group | Credit Number | Credit Name | Possible Points | Yes | No | Maybe |
|---|---|---|---|---|---|---|---|
| **Energy**<br><br>**60 points** | 1) Efficiency | E1.0 | Minimum Energy Performance | | | | |
| | | E1.0.1 | Energy Code Minimum | R | | | |
| | | E1.0.2 | Energy Star Certified Equipment | R | | | |
| | | E1.1 | Superior  Energy Performance - Prescriptive Component Design | 2-10 | | | |
| | | E1.2 | Superior Energy Performance - Whole Buidling Design | 8-20 | | | |
| | | E1.3 | Zero Net Energy | 35 | | | |
| | 2) Building Automation | E2.0 | Audio and Visual Systems Control | R | | | |
| | | E2.1 | Daylight Responsive Controls | R | | | |
| | | E2.2 | HVAC Controls and Operable Windows | 1 | | | |
| | | E2.3 | Occupancy Controls | | | | |
| | | E2.3.1 | Occupancy Sensor-based Controls | 1 | | | |
| | | E2.3.2 | Occupancy Sensor-based Control for Temperature & Airflow | 1 | | | |
| | | E2.4 | Demand Control Ventilation | 1 | | | |
| | | E2.5 | Exterior Lighting Motion Detection | 2 | | | |
| | 3) Alternative Energy | E3.1 | On-Site Renewable Energy | | | | |
| | | E3.1.1 | On-Site Renewable Energy | 2-8 | | | |
| | | E3.1.2 | Solar Ready | 1 | | | |
| | | E3.1.3 | Service Water Heating | 2 | | | |
| | | E3.1.4 | Zero Net Energy Capable | 3 | | | |
| | | E3.2 | Combined Heat & Power | 4 | | | |
| | 4) Commissioning | E4.0 | Fundamental Commissioning | R | | | |
| | | E4.1 | Enhanced Commissioning | | | | |
| | | E4.1.1 | Commissioning Review | 1 | | | |
| | | E4.1.2 | Verification and Assurances | 1 | | | |
| | | E4.1.3 | Systems Manual | 1 | | | |
| | 5) Metering & Management | E5.0 | Minimum Energy Metering | R | | | |
| | | E5.1 | Energy Metering - Other | | | | |
| | | E5.1.1 | Energy Metering System - Not Code Required | 4 | | | |
| | | E5.1.2 | Additional Use Metering | 2 | | | |
| | | E5.1.3 | Energy Use Metering Display | 2 | | | |
| | | E5.2 | Energy Storage | 2 | | | |
| | | E5.3 | Automated Demand Response | | | | |
| | | E5.3.1 | Manage Peak Demand | 2 | | | |
| | | E5.3.2 | Future Demand Response | 1 | | | |
| | | | **Total possible** | **60** | **0** | **0** | **0** |

| Category | Group | Credit Number | Credit Name | Possible Points | Yes | No | Maybe |
|---|---|---|---|---|---|---|---|
| **Indoor Environmental Quality** **36 points** | 1) Daylighting | IEQ1.0 | Permanent Shading | R-1 | | | |
| | | IEQ1.1 | Outdoor View Windows | R-1 | | | |
| | | IEQ1.2 | Daylighting Classrooms | 1-4 | | | |
| | 2) Electric Lighting Quality | IEQ2.0 | Electric Lighting Quality | | | | |
| | | IEQ2.0.1 | Electric Lighting Quality | R | | | |
| | | IEQ2.0.2 | Electric Lighting Dimming | 1 | | | |
| | | IEQ2.0.3 | Electric Lighting Luminaire Color | 1 | | | |
| | 3) Indoor Air Quality | IEQ3.0 | Min Requirements Ventilation, Filtration, & Moisture Control | | | | |
| | | IEQ3.0.1 | Permanent Ventilation | R | | | |
| | | IEQ3.0.2 | Increased Ventilation | 1 | | | |
| | | IEQ3.0.3 | Evaluate Envelope | 1 | | | |
| | | IEQ3.1 | Low-Emitting Interior Finishes | 1-6 | | | |
| | | IEQ3.2 | Low-Emitting Furniture | 1 | | | |
| | | IEQ3.3 | Source Control | 3 | | | |
| | | IEQ3.4 | Ducted HVAC Returns | 1 | | | |
| | | IEQ3.5 | Particle Arrestance Filtration | 1-2 | | | |
| | | IEQ3.6 | Construction IAQ Management | | | | |
| | | IEQ3.6.1 | During Construction | 1 | | | |
| | | IEQ3.6.2 | After Construction | 1 | | | |
| | | IEQ3.7 | Indoor Air Monitoring | 2 | | | |
| | 4) Acoustics | IEQ4.0 | Minimum Acoustic Performance | R | | | |
| | | IEQ4.1 | Improved Acoustical Performance | | | | |
| | | IEQ4.1.1 | Reduced Unoccupied Classroom Noise All Classrooms | 1 | | | |
| | | IEQ4.1.2 | STC 50 All Classrooms | 1 | | | |
| | | IEQ4.1.3 | Cymnasium Reverberation Times | 1 | | | |
| | | IEQ4.1.4 | Multi-Purpose, Commons, Cafteria Reverberation Times | 1 | | | |
| | | IEQ4.2 | Audio Enhancement | 1 | | | |
| | 5) Thermal Comfort | IEQ5.0 | Thermal Code Compliance | R | | | |
| | | IEQ5.1 | Radiant Heated Floors - K–5 | 2 | | | |
| | 6) User Controls | IEQ6.1 | User Control  - Windows | 1 | | | |
| | | IEQ6.2 | User Control - Temperature | 1 | | | |
| | | | **Total possible** | 36 | 0 | 0 | 0 |

| Category | Group | Credit Number | Credit Name | Possible Points | Yes | No | Maybe |
|---|---|---|---|---|---|---|---|
| **Integration, Education and Operations** **43 points** | 1) Integration | IEO1.1 | Integrated Design Workshop | 1 | | | |
| | | IEO 1.2 | Durability | 1 | | | |
| | | IEO1.3 | Faculty and Staff Changing and Shower Facilities | 1 | | | |
| | | IEO1.4 | Innovation | 1-2 | | | |
| | | IEO1.5 | Biophilic Design | 1-2 | | | |
| | | IEO1.6 | Pursue Additional Funding Sources | 2 | | | |
| | | IEO1.7 | Safer Schools by Design | 2 | | | |
| | 2) Education | IEO2.1 | Green Building Learning | 1-2 | | | |
| | 3) Operations | IEO 3.0 | Operational Performance Monitoring | R | | | |
| | | IEQ3.1 | Post Occupancy Evaluation (POE) | | | | |
| | | IEO3.1.1 | POE Occupant Survey | R | | | |
| | | IEO3.1.2 | Comprehensive POE | 2 | | | |
| | | IEO3.2 | ELCCA/LCCA | | | | |
| | | IEO3.2.1 | ELCCA Required Facilities | R | | | |
| | | IEO3.2.2 | ELCCA Other Facilities | 1 | | | |
| | | IEO3.2.3 | ELCCA Update | 1 | | | |
| | | IEO3.2.4 | LCCA | 1 | | | |
| | | IEO3.3 | Monitoring-Based Commissioning | 4 | | | |
| | | IEO3.4 | Project or District Long Term Operations | | | | |
| | | IEO3.4.0 | Asset Preservation Program (APP)-New Buildings | R | | | |
| | | IEO3.4.1 | Operations and Maintenance Staff Involvement | R | | | |
| | | IEO3.4.2 | Asset Preservation System (APS) on Modernizations | 1 | | | |
| | | IEO3.4.3 | Green Power and Carbon Offsets | 1-2 | | | |
| | | IEO3.4.4 | Resouce Conservation and GHG Reduction Plan | 1 | | | |
| | | IEO3.4.5 | IAQ Management Plan | 2 | | | |
| | | IEO3.4.6 | Integrated Pest Management Program | 2 | | | |
| | | IEO3.4.7 | Transportation Options Program | 1 | | | |
| | | IEO3.4.8 | Opeations and Maintenance Personnel Training | 1-2 | | | |
| | | IEO3.4.9 | Food Related Waste Management | 1-2 | | | |
| | | IEO3.4.10 | Wasted Food Reduction Program | 1, 2-3 | | | |
| | | IEO3.4.11 | Fuel Efficient Buses and Maintenance Vehicles | 1 | | | |
| | | IEO3.4.12 | Environmentally Preferrable Supplies Purchasing | 1 | | | |
| | | IEO3.4.13 | Green Cleaning Policy and Program | 1 | | | |
| | | IEO3.4.14 | Green School Program | 1 | | | |
| | | | **Total Possible** | **43** | **0** | **0** | **0** |
| **GRAND TOTAL Possible Points (Most points possible, not a total of all points listed above)** | | | | **197** | **0** | **0** | **0** |
| | **Minimum required for Washington Sustainable School** **Two-tier system:** **New Facility and new Building on Existing Facility** | | | **58 or 66** | | | |
| | For Class I Districts: Minimum 66 points For Class II Districts: Minimum 58 points **Modernization** | | | **43 or 49** | | | |
| *Published June 2018* | For Class I Districts: Minimum 49 points For Class II Districts: Minimum 43 points | | | | | | |